Thursday, 3/30/2006 10:08:20 AM Kim Jehnsten **Process Sheet** : STEP SPACER **Drawing Name** : CU-DAR001 Dart Helicopters Services Customer Job Number : 26452D -1 **Estimate Number** : 10380 Part Number : D30657 P.O. Number : D3065 REV. A2 **Drawing Number** : 3/30/2006 S.O. No. : This Issue : N/A Project Number : NC Prsht Rev. : A2 : SMALL /MED FAB Type Drawing Revision First Issue : // : NIA : 26211D Material Previous Run Each 60 Um: Due Date : 4/15/2006 Qty: Written By Checked & Approved By Incorporated D3066-1 IPP KJ/RF Comment **Additional Product** Job Number: Description: Machine Or Operation: Seq. #: 1.0 M2024T3S040 2024-T3 .040 sheet Comment: Qty.: 0.1653 sf(s)/Unit Total: Material: 2024-T3 (QQ-A-250/4) 0.040" thick Batch: M /9195 (M2024T3S.040) SHEAR 2.0 Wodo4/09 Comment: SHEAR Cut blank: 4.580" x 4.500" Grain along 4.500" HAAS CNC VERTICAL MACHINING #1 Ba-ouz7 Dugker: AZ Comment: HAAS CNC VERTICAL MACHINING #1 Cut as per Machine as per Folio FA181 and Dwg D3065 Prog Rev: AZ Stack of 15 Identify as D3065-7 INSPECT PARTS AS THEY COME OFF MACHINE 4.0 PARTS AS THEY COME OFF MACHINE SECOND CHECK QC8 5.0 Comment: SECOND CHECK Form: rprocess Page 1

## Dart Aerospace Ltd

| W/O:    |      | WORK ORDER             | CHANGES  |       |     |                                     |                          |
|---------|------|------------------------|----------|-------|-----|-------------------------------------|--------------------------|
| DATE    | STEP | PROCEDURE CHANGE       | Ву       | Date  | Qty | Approval<br>Chief Eng /<br>Prod Mgr | Approval<br>QC Inspector |
|         |      |                        |          |       |     |                                     |                          |
|         |      |                        |          |       |     |                                     |                          |
|         |      |                        |          |       |     |                                     |                          |
| Part No |      | PAR #· Fault Category: | NCP: Vos | No po | 1   | Data: X                             | 1201011                  |

QA: N/C Closed: \_\_\_\_ Date: \_\_\_\_

| NCR:   |      | W  | ORK OR               | DER NON-CONFORMANC                    | E (NCR)        | ·                         |                       |                          |
|--------|------|--|----------------------|---------------------------------------|----------------|---------------------------|-----------------------|--------------------------|
|        |      | Description of NC  |                      | Corrective Action Section B           |                |                           |                       | 1 A Wassersone Stop 2 M  |
| DATE   | STEP | Section A  | Initial<br>Chief Eng | Action Description Chief Eng          | Sign &<br>Date | Verification<br>Section C | Approval<br>Chief Eng | Approval<br>QC Inspector |
| alosot | 9    | 2 piece were<br>bound in the<br>alodine brestet.<br>Alodine born on parts. | Q4747                | Redvain<br>Comployee                  | FC 060904      | Lobotw4                   | aray                  | 0605.04                  |
|        |      |  |                      | e e e e e e e e e e e e e e e e e e e |                |                           |                       |                          |
|        |      |  |                      |                                       |                |                           |                       |                          |
|        | *    |  |                      |                                       |                |                           |                       |                          |
|        |      |  |                      |                                       |                |                           |                       |                          |

NOTE: Date & initial all entries

Thursday, 3/30/2006 10:06:20 AM Date: Kim Johnston User: **Process Sheet** Drawing Name: STEP SPACER Customer: CU-DAR001 Dart Helicopters Services Part Number: D30657 Job Number: 26452D Job Number: Description: Seq. #: Machine Or Operation: SMALL & MEDIUM FAB RESOURCE 1 SMALL FAB 1 6.0 H.M Comment: SMALL & MEDIUM FAB RESOURCE 1 Deburr Stack NC BRAKE 7.0 BRAKE NC Comment: NC BRAKE Bend as per Dwg D3065 INSPECT WORK TO CURRENT STEP 8.0 Comment: INSPECT WORK TO CURRENT STEP HAND FINISHING RESOURCE #1 HAND FINISHING1 9.0 Comment: HAND FINISHING RESOURCE #1 55 Chemical Conversion Coat as per QSI 005 4.1 INSPECT POWDER COAT/CHEMICAL CONVERSION 10.0 QC3 Comment: INSPECT CHEMICAL CONVERSION COAT PACKAGING 1 PACKAGING RESOURCE #1 11.0 Comment: PACKAGING RESOURCE #1 Identify and Stock Location: GA DOCUMENT CONTROL DC 12.0 Comment: DOCUMENT CONTROL Inspection Level 21 Job Completion

## Dart Aerospace Ltd

| Dait Ac     | TOSPACE L | iu .              |                      |                              |                     |           |           |                                     |                          |
|-------------|-----------|-------------------|----------------------|------------------------------|---------------------|-----------|-----------|-------------------------------------|--------------------------|
| W/O:        |           |                   | WC                   | RK ORDER CHANGE              | S                   |           |           |                                     |                          |
| DATE        | STEP      | PR                | OCEDURE CHA          | NGE                          | Ву                  | Date      | Qty       | Approval<br>Chief Eng /<br>Prod Mgr | Approval<br>QC Inspector |
|             |           |                   |                      |                              |                     |           |           |                                     |                          |
|             |           | e <sup>2</sup>    |                      |                              |                     |           |           |                                     |                          |
| Part No     | :         | PAR #:            | Fault Cate           | gory:                        | NCR: Yes            | No DQ     | A:        | Date:                               |                          |
|             |           |                   |                      |                              | QA: N               | I/C Close | d:        | _ Date: _                           |                          |
| NCR:        |           |                   | WORK ORDE            | R NON-CONFORMAL              | NCE (NCF            | ₹)        |           |                                     |                          |
| 25/VV 25/50 | 720000000 | Description of NC |                      | ı B                          | Verification Approv |           |           |                                     |                          |
| DATE        | STEP      | Section A         | Initial<br>Chief Eng | Action Description Chief Eng | Sign 8<br>Date      |           | Section C | Approval<br>Chief Eng               | Approval<br>QC Inspector |
|             |           |                   | 2                    |                              |                     |           | (2)       |                                     |                          |
|             |           |                   |                      |                              |                     |           |           |                                     | i i                      |
|             |           |                   |                      |                              |                     |           |           |                                     |                          |
|             |           |                   |                      |                              |                     |           |           |                                     |                          |
|             |           |                   |                      |                              |                     |           |           |                                     |                          |
|             |           |                   |                      |                              |                     |           |           |                                     |                          |

NOTE: Date & initial all entries

| D3065-5DART AEROSPACE LTD     | Work Order:  | 264521      |
|-------------------------------|--------------|-------------|
| Description: Step Spacer      | Part Number: | D3065-7     |
| Inspection Dwg: D3065 Rev: A2 |              | Page 1 of 1 |

|  | FIRS          | ST ARTICLE IN       | NSPECTI | ON CHE | CKLIST                  |          |        |
|--|---------------|---------------------|---------|--------|-------------------------|----------|--------|
|  |               | X First Arti        | cle     | Prot   | otype                   |          |        |
| Drawing<br>Dimension   | Tolerance     | Actual<br>Dimension | Accept  | Reject | Method of<br>Inspection | Con      | nments |
| Ø0.128   | +0.005/-0.000 | 0.128               | V,      |        | vern                    |          |        |
| 0.865 (Pitch)  | +/-0.005      | 0.865               |         |        | Vern                    |          |        |
| 4.522  | +/-0.010      | 194.524             | V,      |        | wn                      |          |        |
| 0.250  | +/-0.010      | 0.252               | J       |        | Vern                    |          |        |
| 2.093  | +/-0.010      | 2.092               |         |        | vern                    |          |        |
| 3.936  | +/-0.005      | 3,939               | V       |        | vern                    |          |        |
| 4.186  | +/-0.010      | 4.187               | V,      |        | vern                    |          |        |
| Ø1.250   | +/-0.005      | 1.250               |         |        | Vern                    |          |        |
| R0.125   | +/-0.010      | 0.125               | /       |        | RADIUS GUA              | 9        |        |
| Grain Direction  | N/A           |                     |         |        | 0                       |          |        |
|  |               |                     |         |        |                         |          |        |
|  |               |                     |         |        |                         |          |        |
|  |               |                     |         |        |                         |          |        |
|  |               |                     |         |        |                         |          |        |
|  |               |                     |         |        |                         |          |        |
|  |               |                     |         |        |                         |          |        |
|  |               |                     | +       |        |                         |          |        |
|  |               | <del></del>         |         |        |                         |          |        |
|  |               |                     |         |        |                         |          |        |
|  |               |                     |         |        |                         |          |        |
|  |               |                     |         |        |                         |          |        |
|  |               |                     |         |        |                         |          |        |
| 1  |               |                     |         |        |                         |          |        |
| The state of the s | 11            |                     |         |        |                         |          |        |
| Measured by:   | 11/1          | Audited by:         | E       |        | Prototype Ap            | pproval: | N/A    |
| Date   | Mulloh        | Date                | 1 .1 2  | 1      |                         | Date:    | N/A    |


| Rev | Date     | Change  | Revised by | Approved |
|-----|----------|---|------------|----------|
| Α   | 03.09.22 | New Issue P/O D3065-041                             | KJ/RF      | -1       |
| В   | 04.05.15 | Removed 0.531, 3.686, 0.580; Added 3.936 dimensions | KJ/JLM     | Sul      |



| DESIGN | ap DI | RAWN BY | DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA |              |  |  |
|--------|-------|---------|--|--------------|--|--|
| CHECK  | EN AF | PROVED  | DRAWING NO.                                    | REV. A       |  |  |
|        | #     | 4       | D3065  | SHEET 1 OF 5 |  |  |
| DATE   |       | (9)(9)  | TITLE  | SCALE        |  |  |
|        | 02.09 | .11     | STEP LEG ASSEMBLY                              | 1:2          |  |  |
| Α      | 02.0  | 9.11    | NEW ISSUE                                      |              |  |  |
|        |       | - 1     |  |              |  |  |



|    | 02.09.11     | STEP LEG ASSEMBLY    | 1:2 |
|----|--------------|----------------------|-----|
| Α  | 02.09.11     | NEW ISSUE            |     |
| Al | 03.02.13 CPA | ADD SLOTS TO 13065-5 |     |
| A2 | 03.62.27 Pa  | 0.551 WAS 0.410      |     |




# D3065-041 STEP LEG ASSEMBLY

UNCONTROLLED COPY SLIBJECT TO AMENDMENT WITHOUT NOTICE

COPYRIGHT @ 2002 BY DART AEROSPACE LTD.







1) MATERIAL: 2024-T3 (QQ-A-250/4) 0.040 THICK (REF DART SPEC. M2024T3S.040) NTROLLED COPY 2) FINISH: ACID ETCH & ALODINE PER DART QSI 005 4.1

3) BREAK ALL SHARP EDGES 0.005 TO 0.010

4) PART IS SYMMETRIC ABOUT CENTERLINE

5) TOLERANCES ARE PER DART QSI 018 UNLESS OTHERWISE NOTED


COPYRIGHT © 200EY DART AEROSPACE LTD.







| DESIGN   | DRAWN BY | DART AEROSPACE<br>HAWKESBURY, ONTARIO, CA | X172 50 30             |
|----------|----------|---|------------------------|
| CHECKED  | APPROVED | DRAWING NO.<br>D3065                      | REV. A<br>SHEET 3 OF 5 |
| DATE 02. | 09.11    | STEP LEG ASSEMBLY                         | SCALE<br>1:1           |




COPYRIGHT © 2002 BY DART AEROSPACE LTD.




| DESIGN   | DRAWN BY | DART AEROSPACE<br>HAWKESBURY, ONTARIO, CA |                        |
|----------|----------|---|------------------------|
| CHECKED  | APPROVED | DRAWING NO.<br>D3065                      | REV. A<br>SHEET 4 OF 5 |
| DATE 02. | 09.11    | STEP LEG ASSEMBLY                         | SCALE<br>1:3           |





MATERIAL: 5052-H32 (QQ-A-250/8) 0.080 THICK (REF DART SPEC. M5052H32S.080) FINISH: ACID ETCH & ALODINE PER DART QSI 005 4.1 BREAK ALL SHARP EDGES 0.005 TO 0.010 TOLERANCES ARE PER DART QSI 018 UNLESS OTHERWISE NOTED MACHINE PER DWG FILE "D3065-5.SLDPRT D3065-5 STEP LEG

COPYRIGHT ©2002 BY DART AEROSPACE LTD.



DRAWN BY

DESIGN

1) MATERIAL: 2024-T3 (QQ-A-250/4) 0.040 THICK (REF DART SPEC. M2024T3S.040) 2) FINISH: ACID ETCH & ALODINE PER DART QSI 005 4.1 3) PART IS SYMMETRIC ABOUT CENTERLINE

4) BREAK ALL SHARP EDGES 0.005 TO 0.010 5) TOLERANCES ARE PER DART QSI 018 UNLESS OTHERWISE NOTED

### COPYRIGHT @2002 BY DART AEROSPACE LTD.

DMENT